INFOF	3M≠	ATION I	DISCLO	OSURE	ATTY. DOCKET NO. A-68294/RMS/DHR	SERIAL NO. 09/404,010			
INFORMATION DISCLOSURE					APPLICANT LOU, et al. APR 2 0 2001				
APR 1 8	ور بير 2001	PTO-14	49		FILING DATE Sept. 23, 1999		GROUP 1646	TECH CENTE	
U.S. PATENT DOCUMENTS									
EXAMPLE INITIALS	LS PATENT NO. DATE			NAME	CLAS	S SUBCLA		FILING DATE	
Mu	17	5,645,999	07/08/97	Roberts et al.				~	
		<del>                                     </del>				<del> </del>			
		<del>                                     </del>	<del>                                     </del>	-		├──			
		<u> </u>	<del>                                     </del>	<u> </u>	· .	<del>                                     </del>			
FOREIGN PATENT DOCUMENTS									
EXAMINERS INITIALS	į	PATENT NO.	DATE	,	COUNTRY	CLAS	S SUBCLA		anslation No
alle	18	99/05175	02/04/99	wo			_	,,,,	
1	19	97/97134	02/27/97	wo				,	
	20	00/26670	05-11-00	wo		_			
iV									
									+
	0	THER DOC	LUMENTS	(Including	Author, Title, Date	L e, Pert	 inent Paç	ges, Etc.)	
Bieche, et al., "Two Distinct Amplified Regions at 17q11-q21 Involved in Human Primary Breast Cancer," Cancer Research 56:3886-3890 (1996)									Cancer
1/1	22	Regnier, et al., "Presence of a New Conserved Domain in CART1, a Novel Member of the Tumor Necrosis Factor Receptor-associated Protein Family, Which is Expressed in Breast Carcinoma," <i>J Biol Chem</i> 270(43):25715-25721 (1995)							
	ر 23	Letwin, et al., "A mammalian dual specificity protein kinase, Nek1, is related to the NIMA cell cycle regulator and highly expressed in meiotic germ cells," <i>EMBO J</i> 11(10):3521-3532 (1992)							
	24	Rothe et al., "TRAF2-mediated activation of NF-kappa B by TNF receptor 2 and CD40," <i>Science</i> , 269(5229):1424-1427 (September 1995).							
	25_	Durkop et al., "Tumor necrosis factor receptor-associated factor 1 is overexpressed in Reed-Sternberg cells of Hodgkin's disease and Epstein-Barr virus transformed lymphoid cells," <i>Blood</i> , 93(2):617-623 (January 1999).							
	26 	Schwenzer et al., "The human tumor necrosis factor (TNF) receptor-associated factor 1 gene (TRAF1) is Up-regulated by cytokines of the TNF ligand family and modulates TNF-induced activation of NF-kappaB and c-Jun N-terminal kinase," <i>J Biol Chem</i> , 274(27):19368-19374 (Jul 1999).							
Takeuchi et al., "Anatomy of TRAF2. Distinct domains for nuclear factor-kappaB activation and association with tur necrosis factor signaling proteins," <i>J Biol Chem</i> , 271(33):19935-19942 (August 1996).								on with tumor	
EXAMINER DATE CONSIDERED									

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation considered. Include copy of this form with next communication to applicant.

8085 1449A.FRM (8/95) #1046068